

Applicators




ITEM	DESCRIPTION	PACK
------	-------------	------

A. MULTI-FLO®

Battery operated applicator designed for speed and flexibility that saves time, effort, and money on your floor maintenance projects. Three machines in one, the Multi-Flo can be used to apply wood floor coatings, resilient surface coatings and hard surface coatings. Applies coatings at 10,000 sq. ft. per hour.

HIL50124	Multi-Flo Applicator	1
HIL50162	23" & 30" Replacement Pad Set	1
HIL50163	23" & 36" Replacement Pad Set	1



B. T-BAR APPLICATORS & REFILLS

Complete system comes with lightweight T-Bar with synthetic pad and handle. Lightweight T-Bar and synthetic pad to apply water-based wood seals and finishes. Weighted T-Bar and lambswool pad are used to apply solvent-based wood seals and finishes.

HIL50022	24" T-Bar Lightweight	1
HIL50029	24" T-Bar Heavyweight	1
HIL50030	24" Refill Synthetic	1
HIL50032	24" Refill Lambswool	1
HIL50033	18" Refill Lambswool	1
HIL50039	18" T-Bar Heavyweight	1
HIL50040	18" T-Bar Lightweight	1
HIL50041	18" Refill Synthetic	1
HIL50042	18" Lightweight T-Bar & Refill	1
HIL50043	18" T-Bar Lightweight Complete	1
HIL22606	Handle, 15/16" x 72"	1



C. POWER-FLO® APPLICATOR

Designed for applying several Hillyard wood floor seals and finishes. Applies the wood seal/finish the length of the floor in a smooth, continuous operation, saving time and effort. Features: no track wheels, large folding handle, easy fill, easy empty design, easy to clean and rinse, tilt back feature for easy maneuverability, Velcro wicks for quick pad attachment and removal, handle bar trigger and visual sight for total dispensing control. 3 gallon capacity.

HIL50035	Applicator Complete	1
HIL50038	Synthetic Refill Pad	2
HIL50037	Lambs Wool Refill Pad	2



D. C-SPRAY™

Battery powered carpet pre-spray applicator. For large areas, the C-Spray™ will apply diluted carpet pre-spray product in 22" to 26" paths through the front spray jet, or through the hand wand for smaller areas. The 5-gallon solution tank is removable for easy fill and clean up. Battery charger is included. Some assembly is required.

HIL99235		1
-----------------	--	---




E. CART COAT

Cart Coat applies finish at a rate of 18,000 sq. ft. per. hour. 5 gallon capacity. Simple to operate. Ergonomic design.

HIL50055		1
HIL50056	Applicator Replacement Head	1

Applicators

ITEM	DESCRIPTION	PACK
A. E-Z WAY APPLICATOR		
For applying Hillyard wood seals and finishes. Simple dispensing system with a 2.5 gallon tank, applicator head and swivel handle. Simple pull value dispenses wood seal or finish on demand.		
HIL50020	Complete	1
HIL50031	Synthetic Pad Only	1



B. LAMBSWOOL & SYNTHETIC APPLICATORS

Ideal for quick and easy application of Hillyard seals and solvent-based gym finishes. Complete includes handle, block and pad.

HIL50012	12" Lambswool Complete	1
HIL50016	16" Lambswool Complete	1
HIL50112	12" Lambswool Pad Only	1
HIL50116	16" Lambswool Pad Only	1
HIL50512	12" Wood Block Only	1
HIL50516	16" Wood Block Only	1
HIL50622	16" Synthetic Complete	1
HIL50612	12" Synthetic Pad Only	1
HIL50616	16" Synthetic Pad Only	1
HIL50120	12" Paint Pad Refill	1
HIL50121	16" Paint Pad Refill	1
HIL50122	12" Paint Pad Complete	1
HIL50123	16" Paint Pad Complete	1



C. GPS™ 2000 SELF CONTAINED CLEANING SYSTEM

For applying cleaning solutions with flat mop. No bucket needed, no string mop. Cleaning solution applies through the handle so it's ergonomic and productive. 16" flat mop head frame will accommodate a 18" flat mop head and 22" frame accommodates a 24" flat mop head. Frames and handles are all sold separately to allow for flexible configuration of sizes within an account. Changing frames to handles is easy and quick.

GPS2002	60" Anodized Aluminum Handle	1
GPS2016	16 oz. Refill Bottle	6
GPS2019	22" Aluminum Flat Mop Head Frame w/QC	1
GPS4716	16" Aluminum Flat Mop Head Frame w/QC	1


D. CHEMICAL APPLICATION TOOL (C.A.T.) AND FLOOR FINISH APPLICATOR

Applicator system to apply cleaning solutions and floor polish. No bucket. Lowers the cost of cleaning and improves results. Up to 50% faster to apply finish. Eliminates waste, and contamination. Lays floor finish with smooth results. No slopping along baseboards. Can be used for applying both coatings and cleaners.

GPS4500	Chemical Applicator tool kit (C.A.T.)	1
GPS4555	Refill stand for C.A.T.	1
GPS4555W	Chemical Refill Bracket Wall Mounted for C.A.T.	1
GPS4560	Refillable Chemical bag 1½ gal for C.A.T.	6
GPS4561	Clean Out Fitting for C.A.T.	1
GPS4826	Premium Microfiber Scrub/Finish Mop 20" White	12



Applicators



ITEM	DESCRIPTION	PACK
------	-------------	------

A. 18" INDUSTRIAL GRADE ROLLERS

For application of Hillyard Epoxy 350[®] Finish. Complete unit includes a 3/8" or 1/2" nap roller, yoke, yoke handle adapter, two end caps and one five foot aluminum tip handle. Replacement parts available.

HIL28845	3/8" Nap Roller Complete	1
HIL28846	1/2" Nap Roller Complete	1
HIL28840	3/8" Replacement Roller (w/End Caps)	1



B. COURTCLEAN[®] DAMP MOP SYSTEM

Floor damp mopping device. Use to damp mop basketball hard floors in less than 5 minutes. Dries instantly, slip resistant and floor is ready to start play immediately. Other uses include wrestling mats, arenas, ballrooms, fitness centers, roller rinks, warehouses, and racquetball courts.

TKH101	6' Unit, 72"	1
TKH100	8' Unit, 96"	1
TKH200	Towel, 22" x 96"	1
TKH210	Towel, 22" x 72"	1
HIL29940	Towel, 24" x 96"	1



C. GYM-LINE TAPER

The Gym-Line Taper comes with a 3/4" tape guide and four extension rods adequate for marking jump circles, free throw circles, as well as three point line.

HIL29969	Gym-Line Taper Complete	1
-----------------	-------------------------	---

D. SCOTCH-BLUE[™] PAINTER'S TAPE

Designed for taping or masking most smooth or delicate surfaces.

MIN79748	1" Blue	36
MIN79750	2" Blue	24



E. SCOTCH[™] GENERAL PURPOSE MASKING TAPE

A very high temperature resistant tape for use in masking and holding applications where temperatures reach 250°F (121°C) up to 1 hour. A general purpose paper masking tape designed to be used in medium temperature paint bake operation.

MIN234	Natural, 3/4"	48
---------------	---------------	----

