



ITEM DESCRIPTION PACK

Trilogy®: Three Systems Tailored To Your Budgets, Staff, Cleaning Frequencies, & Equipment

Hillyard Trilogy® encompasses a unique, threefold systems approach to resilient floor care that simplifies product selection and training by focusing on the cleaning procedures, cleaning frequency, and equipment utilized in your operation. The end result is a maintenance program designed to optimize your cleaning resources and the appearance of your facility.

Each Trilogy® program specifies quality seals and finishes to provide consistent performance and maximize the efforts of your staff. Trilogy®'s systemized approach takes into consideration the type of equipment you have and the amount of time you can dedicate to maintaining your resilient flooring.

By utilizing the system that best meets your needs, the Hillyard Trilogy® approach to floor care will allow you to keep the resilient flooring in your facility at a high level of appearance while managing your maintenance operation on a cost-effective basis.

TRILOGY® SYSTEM I

Profile:

1. Facilities (schools, small office buildings) with restrictive maintenance budgets. A lack of equipment and personnel leaves little time to do anything to the floors other than dust mop, spot mop, and damp mop.
2. Auto scrubbers are used infrequently in these facilities.
3. Infrequent spray buffing might be occurring, but only in high traffic areas.

A. TOP SHAPE® *

An 18% extended life cycle floor finish that provides a clear, wet-look, protective shine on floors. Perfect for resilient tile, terrazzo, unglazed ceramic, quarry tile, paver brick, natural stone, sealed wood, or concrete flooring. Outstanding detergent resistance. Maintains a beautiful gloss even after repeated scrubbing. Deep gloss will increase with spray buffing. Goes down quickly and easily with thin, self-leveling coats that provide a uniform film thickness. Clear, quick-drying formula.

HIL0052206	1 gal.	4
HIL0052207	5 gal.	1
HIL0052209	55 gal.	1



B. EXPLORER® *

A 25% extended life cycle floor finish that provides a clear, wet-looking, protective shine on floors. Its advanced formula is perfect for resilient tile, terrazzo, unglazed ceramic, quarry tile, paver brick, natural stone, sealed wood, or concrete flooring. Resists black heel marks, scratching and scuffing. It's tough enough and dries fast enough for use in main lobbies, entrances, and major traffic corridors. Outstanding detergent resistance and will maintain a beautiful gloss. Shine and depth of gloss will increase with spray buffing, high speed buffing, or ultra-high speed burnishing. With its clear, quick-drying formula, multiple coats can be applied in a single day to build up a deep, protective gloss.

HIL0053406	1 gal.	4
HIL0053407	5 gal.	1
HIL0053409	55 gal.	1



* Classified by Underwriters Laboratories, Inc.® as to slip resistance (186S).

Resilient Floor Care

TRILOGY®

ITEM DESCRIPTION PACK

A. EQUALIZER® *

Ultra high solids finish that seals and finishes in one operation. Excellent resistance to dirt, black marks, scuffs, scratches, and heel marks. Requires only 3 coats for maximum shine. Little to no buffing is required. Designed for low maintenance floor care programs.

HIL0054906	1 gal.	4
HIL0054907	5 gal.	1
HIL0054909	55 gal.	1



B. CLASS WAX *

Specially formulated to provide excellent resistance to scratches, scuffs and marks. Ideal for conditions that exist in classrooms where the routine movement of heavy desks and chairs tear up conventional floor waxes. Possesses superior durability and will not grind off like conventional finishes resulting in extended stripping and coating cycles.

HIL0050306	1 gal.	4
HIL0050307	5 gal.	1
HIL0050309	55 gal.	1



C. EXPEDITER® II *

Dry brite floor polish modified with urethane for outstanding scuff resistance, gloss and durability. Dries to a clear, beautiful high gloss without buffing. Ideal for limited maintenance floor care programs. Easy to apply and possesses excellent leveling properties.

HIL0053106	1 gal.	4
HIL0053107	5 gal.	1
HIL0053109	55 gal.	1



D. NAVIGATOR® *

A 25% high solids, all acrylic finish that stands up to traffic, detergents and ultra-high speed burnishing. Ideal for both resilient and hard surfaces. Provides a depth of gloss that will not discolor. Resists powdering and keeps a wet-look shine even in heavy traffic areas.

HIL0053506	1 gal.	4
HIL0053507	5 gal.	1
HIL0053509	55 gal.	1



* Classified by Underwriters Laboratories, Inc.® as to slip resistance (186S).



ITEM DESCRIPTION PACK

TRILOGY® SYSTEM II


Profile:

1. Facilities (larger schools, colleges, office buildings, hospitals, nursing homes, small retail centers and supermarkets) desiring a high level of appearance.
2. Some automation exists, including auto scrubbers and burnishers (electric or battery).
3. There is sufficient cleaning staff available to burnish floors at least once a week.

A. ENDEAVOUR® *

A premium 18% advanced floor finish formulated with high-tech polymers. It is a perfect finish for the automated profile of Trilogy® System II. Endeavour® provides unsurpassed durability and high gloss.

HIL0052506	1 gal.	4
HIL0052507	5 gal.	1
HIL0052509	55 gal.	1



B. NORTH STAR® *

A premium 22% floor finish engineered with advanced polymers to meet the exacting specifications of Trilogy® System II. Its higher solids content improves labor efficiency by providing faster film build with fewer coats.

HIL0052806	1 gal.	4
HIL0052807	5 gal.	1
HIL0052809	55 gal.	1



TRILOGY® SYSTEM III

Profile:

1. Facilities (large retail outlets, malls, large supermarkets) requiring the ultimate appearance level. An ongoing "wet look" gloss is desired.
2. Automation exists, including auto scrubbers and burnishers (electric or battery).
3. There is sufficient cleaning staff available to burnish floors daily.

C. RESILIENCE® *

Formulated exclusively for Trilogy® System III and based on an advanced polymer system that provides an exceptionally long lasting shine. Consistently delivers beautiful floors that stand up to repeated cleanings and the heat of ultra high-speed burnishing, day after day. It is the perfect choice for retail stores, supermarkets, and building service contractors who demand a wet-look shine.

HIL0052106	1 gal.	4
HIL0052107	5 gal.	1
HIL0052109	55 gal.	1



* Classified by Underwriters Laboratories, Inc.® as to slip resistance (186S).



Note: Ask your Hillyard Sales Consultant about obtaining a copy of the Hillyard Trilogy® training videos.