# #142 HILLYARD SHOWER ROOM CLEANER

## **One-Step Cleaner/Disinfectant**

#### **Cleans and Disinfects Restrooms and Showers**

Shower Room Cleaner is a foaming, hospital-grade cleaner disinfectant that has been fortified with mild acid cleaners for cleaning ceramic tile, quarry tile, porcelain, grout, fiberglass partitions, toilets, sinks, urinals, and fixtures in restrooms and showers. Unlike a typical two-step process that requires one product to clean and one product to disinfect, Shower Room Cleaner combines both attributes into one product to save time and labor in the shower cleaning process.

#### Foams Away Soap Film and Hard Water Buildups

Shower Room Cleaner was specially formulated to foam away soap film, body oils, urinary salts, and built-up hard water deposits. Its special blend of detergents and mild acid cleaners clings to vertical surfaces for fast and thorough cleaning. Use with a foaming applicator for optimum performance.

#### Disinfects...Even in Hard Water

LYARD

Shower Room Cleaner is a proven, one-step disinfectant/cleaner effective in water up to 400 ppm hardness and in the presence of 5% serum contamination. It controls odor-causing organisms and leaves a pleasant mint fragrance that leaves surfaces clean and sanitary. Shower Room Cleaner is conveniently packaged in one gallon containers. Ask your Hillyard consultant about the benefits of cleaning and disinfecting with Shower Room Cleaner. Just another example of high quality from Hillyard.







© 2004, Hillyard, Inc., "CHECKERBOARD" Trademark ®

LABEL INFORMATION #142

# SHOWER ROOM CLEANER

#### One-Step, Acid Cleaner, Disinfectant

0.75%
0.30%
0.45%
1.00%
<u>97.50%</u>

#### EPA Reg. No. 6836-86-1658

EPA Est. No. 1658-MO-1

Virucide\*, Sanitizer, Mildewstat, Deodorizer With Organic Soil Tolerance Plus Disinfectant Hard Water Tolerance at 4 oz. per gallon (400 ppm calculated as CaCO<sub>3</sub> for Hospital, Institutional, Industrial Use. \*Virucidal against HIV-1 (AIDS Virus) and Herpes Simplex Types 1&2. Effective as a disinfectant against Pseudomonas aeruginosa, Staphylococcus aureus and Streptococcus pyogenes. Quickly removes soap scum from shower tile, fiberglass, chrome and glass, toilet bowls, sinks, tubs & spas. Contains no phosphates.

Use Shower Room Cleaner in hospitals, nursing homes, institutional facilities, public restrooms, schools, colleges, shower and bath areas, exercise facilities.

Use Shower Room Cleaner on washable hard nonporous surfaces: floors, walls, bathtubs, shower stalls, shower walls, glass shower doors, tubs and glazed tiles, urinals, toilets, toilet bowls, toilet bowl surfaces, chrome fixtures, other bathroom fixtures, and hard nonporous surfaces made of metal, stainless steel, chrome, glazed porcelain, glazed ceramic, fiberglass and plastic. Note: Some older tubs or sinks may be etched or discolored by Shower Room Cleaner. Test on a small hidden area first. Do not use on decorative brass fixtures, polished aluminum, natural or synthetic marble. Do not place container on Formica<sup>®</sup>.

Shower Room Cleaner is a Hospital disinfectant, bactericidal at 1:32 dilution (4 oz. per gallon of water) according to the AOAC Use-Dilution Test Method, modified in the presence of 400 ppm hard water plus 5% organic serum against Pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcus aureus.

PELIGRO: Si no sabe el ingles, solicite instrucciones a su supervisor antes de usar este producto.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREPARATION OF DISINFECTANT USE-SOLUTION: Add 4 oz. per gallon of water (for 400-ppm water hardness).

**DISINFECTION DIRECTIONS:** Apply recommended use-solution with a cloth, mop, sponge, or sprayer or by soaking until surfaces are thoroughly wet. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. For sprayer applications, use a coarse spray device. Spray with quick full strokes 6 – 8 inches from surface. Rub with a brush, sponge or cloth. Do not breathe spray. After use, close nozzle. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or more often if use solution becomes diluted or soiled.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before use. This product should not be used to clean utensils, glassware and dishes.

This product is not for use on medical device surfaces.

\*VIRUCIDAL DIRECTIONS: Follow Disinfection Directions. Treated surfaces must remain wet for 1 minute.

**MOLD AND MILDEW CONTROL DIRECTIONS:** Add 4 oz. per gallon of water to inhibit the growth of mold and mildew and their odors on hard, nonporous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

## SHOWER ROOM CLEANER #142

One-Step, Acid Cleaner, Disinfectant

1. Nonvolatile matter 139   2. Color Light blu   3. Odor Min   4. Clarity Cleas   5. Sediment Non   6. Viscosity, Brockfield, 25°C 5 cp   7. Flash point (T.C.C.) None to 200°   8. pH, concentrate 1.0 ± 0.3   9. Germicide type Quaternary (Four   10. Synthetic detergent Preser   11. Soap None	1. ASTM D460 7. ASTM D56 5. ASTM D1290 8. ASTM E70 6. ASTM D1824 #142 (0804)
---	---

TOILET BOWL/URINAL DISINFECTANT AND CLEANER DIRECTIONS: From concentrate: Add 4 oz. to the

toilet bowl or urinal and mix. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

From use-solution: Empty toilet bowl or urinal and apply a 4 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

HEAVY DUTY CLEANER DIRECTIONS: Use 8 oz. per gallon of water for heavy duty cleaning.

#### TO CLEAN AND DEODORIZE: Use 1:32 dilution.

\*KILLS HIV-1 ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Shower Room Cleaner.

CONTACT TIME: Leave surface wet for 1 minute. Use a 10-minute contact time for disinfection against all other bacteria claimed.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

#### KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

#### **PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe spray mist. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL:** Store in original container in areas inaccessible to children. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash or recycle.

