HIL0102554

Version 1.0Revision Date 04/24/2015Print Date 05/28/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Hillyard Quick & Clean Windo-Clean+
Material number	:	A00124
Manufacturer or supplier's o	leta	ils
Company	:	Hillyard Industries
Address	:	302 North 4 th Street Joseph, MO 64502
Telephone	:	816-233-1321 ext 8285

Emergency telephone numbers		
For SDS Information	:	816-233-1321 ext 8285
For a Medical Emergency	:	
For a Transportation	:	CHEMTREC 800-424-9300
Emergency		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	characteristic

GHS Classification

Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place.
Potential Health Effects	
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans

N WINDO-CLEAN+HIL0102554Revision Date 04/24/2015Print Date 05/28/2015papol64-17-5

	ethanol	64-17-5
OSHA	No component of this product present at level	ls greater than or
	equal to 0.1% is identified as a carcinogen or	potential
	carcinogen by OSHA.	
NTP	No component of this product present at level	ls greater than or
	equal to 0.1% is identified as a known or antic	cipated carcinogen
	by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Version 1.0

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
1-propoxypropan-2-ol	1569-01-3	>= 1 - < 5
ethanol	64-17-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	Do not leave the victim unattended.	
If inhaled	 If unconscious place in recovery position and seek meadvice. If symptoms persist, call a physician. 	dical
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 1 minutes. If on clothes, remove clothes. 	5
In case of eye contact	 Remove contact lenses. Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists. 	I
If swallowed	 Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. 	l

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Carbon dioxide (CO2) Foam
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET HILLYARD QUICK & CLEAN WINDO-CLEAN+ HIL0102554				
Version 1.0 Revision Date 04/24/2015 Print Date 05/28				
Further information Special protective equipment for firefighters	Standard procedure for chemical firesWear self-contained breathing appara necessary.			

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm	NIOSH REL

HILLYARD QUICI	K & CLEAN WINI	DO-CLEAN+	. н	IL0102554	
Version 1.0	Revision	Revision Date 04/24/2015		Print Date 05/28/2015	
			1,900 mg/m3		
		TWA	800 ppm 1,900 mg/m3	OSHA P0	
ethanol	64-17-5	TWA	1,000 ppm	ACGIH	
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL	
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1	
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0	

Personal protective equipmen	nt	
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Face-shield Safety glasses
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

Appearance	: Aerosol containing a liquefied gas	3
Colour	: white	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: no data available	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: not applicable	
Evaporation rate	: <1	
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	

HIL0102554

Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.99 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 3.07 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:	
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l
ethanol: Acute oral toxicity	: LD50 Oral rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 rat: 124.7 mg/l

Version 1.0

Revision Date 04/24/2015

HIL0102554

Print Date 05/28/2015

Exposure time: 4 h

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

butane: 1-propoxypropan-2-ol: ethanol:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

HILLYARD QUICK & CL	EAN WINDO-CLEAN+	HIL0102554
Version 1.0	Revision Date 04/24/2015	Print Date 05/28/2015
Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n-	: Remarks: no data available	
octanol/water	. FUW. 2.09	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Secti Substances	-
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, 2.2, Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, non-flammable, 2.2, Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, non-flammable, 2.2,

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2,

Version 1.0

Revision Date 04/24/2015

HIL0102554

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-iminodiethanol	111-42-2	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 I	Hazards :	Sudden Release of Pressure Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop	65	WARNING! This product contains a chemical known to the State of California to cause cancer.
	2,2'-iminodietha	anol 111-42-2

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION


Version 1.0

Revision Date 04/24/2015

HIL0102554

Print Date 05/28/2015

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic



We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.