Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	HILLYARD INDUSTRIES, INC. SUPER HIL-AIRE FRESH & CLEAN 105554 20N16 12CT
EPA ID Number: Material number	:	33176-5-1658
Manufacturer or supplier's details		
Company	:	Hillyard Industries
Address	:	302 North 4th Street
Tolophono		Joseph, MO 64502 816-233-1321 ext 8285
Telephone	•	010-200-1021 EXL0200

Emergency telephone num	ber	S
For SDS Information	:	816-233-1321 ext 8285
For a Medical Emergency	:	
For a Transportation	:	CHEMTREC 800-424-9300
Emergency		

Recommended use of the chemical and restrictions on use

Recommended use : Disinfectant

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, colourless
Odour	odourized

GHS Classification

Flammable aerosols Gases under pressure Eye irritation	: Category 2 : Liquefied gas : Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
	use. P264 Wash skin thoroughly after P280 Wear eye protection/ face p Response: P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing. P337 + P313 If eye irritation pers attention. Storage: P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 1 Disposal: P501 Dispose of contents/contair regulation.	orotection. : Rinse cautiously with water tact lenses, if present and ists: Get medical advice/ nt. Do not expose to 22 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 30 - < 50
butane	106-97-8	>= 10 - < 20
propane	74-98-6	>= 3 - < 5
propan-2-ol	67-63-0	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice.
In case of skin contact	 If symptoms persist, call a physician. If on clothes, remove clothes. If symptoms persist, call a physician. Call a physician if irritation persists. Wash off immediately with plenty of water for at least 15 minutes.
In case of eye contact	 If in eyes, rinse with water for 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
Most important symptoms and effects, both acute and delayed Notes to physician	If symptoms persist, call a physici Effects are immediate and delaye Symptoms may include irritation, Causes serious eye irritation. Review section 2 of SDS to see a Treat symptomatically. Symptomatically	d. redness, pain, and rash. Il potential hazards.

SECTION 5. FIREFIGHTING MEASURES

_

Suitable extinguishing media Unsuitable extinguishing media	 Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical High volume water jet 	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	ər
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods Further information	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. 	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive
Environmental precautions	 concentrations. Vapours can accumulate in low areas. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Do not breathe vapours or spray mist.
	Avoid contact with skin and eyes.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the
	application area.
	Take precautionary measures against static discharges.

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
Conditions for safe storage	 Provide sufficient air exchange and Dispose of rinse water in accordan regulations. Always replace cap after use. BEWARE: Aerosol is pressurized. I exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. No smoking. Keep in a dry, cool and well-ventila Observe label precautions. Electrical installations / working ma the technological safety standards. 	ce with local and national Keep away from direct sun 0 °C. Do not open by force o not spray on flames or ted place.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA TWA	1,000 ppm 1,000 ppm 1,900 mg/m3	ACGIH NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL

Version 2.0	Revision Date 04/20/2018	Print Da	te 11/11/2021
	TWA	400 ppm 980 mg/m3	OSHA Z-1
	TWA	400 ppm 980 mg/m3	OSHA P0
	STEL	500 ppm 1,225 mg/m3	OSHA P0
	PEL	400 ppm 980 mg/m3	CAL PEL
	STEL	500 ppm 1,225 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Engineering measures Personal protective equipme	effective ventilation in all processing areas	
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrate that exposures are within recommended exposure guideline	
Hand protection Material Remarks	Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	Ensure that eyewash stations and safety showers are close the workstation location. Tightly fitting safety goggles	∍ to
Skin and body protection Hygiene measures	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.	Э.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, colourless
Odour	: odourized
Odour Threshold	: No data available
рН	: No data available
Melting point/freezing point	: No data available
Boiling point	: Not applicable

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
Flash point	: Not applicable	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: Not applicable	
Density	: No data available	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 24.21 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid Incompatible materials	 Heat, flames and sparks. Extremes of temperature and direct sunlight. Oxidizing agents Ammonium salts
Hazardous decomposition products	Reducing agents : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed.

105554		
Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
	Symptoms may include irritation, r	edness, pain, and rash.
Carcinogenicity:		
IARC	Group 2A: Probably carcinogenic to I	
ACGIH	sodium nitrite Confirmed animal carcinogen with ur humans ethanol	7632-00-0 known relevance to 64-17-5
OSHA	No component of this product presen	
NTP	equal to 0.1% is on OSHA's list of re No component of this product presen equal to 0.1% is identified as a know by NTP.	gulated carcinogens. It at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ng/kg
Components:		
ethanol:		
Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
propan-2-ol: Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Sariana ava damaga/ava irritati	~	
Serious eye damage/eye irritatio		
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisatio	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available **Bioaccumulative potential**

Product:

Partition coefficient: n- octanol/water <u>Components:</u> ethanol :	: Remarks: No data available
Partition coefficient: n- octanol/water butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
	Clean Air Act Section 602 (40 + B).	CFR 82, Subpt. A, App.A
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	Dispose of in accordance with local regulations. : Empty remaining contents.
Containin acoa paolitaging	Dispose of as unused product. Do not re-use empty containers.
	Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Version 2.0	Revision Date 04/20/2018	Print Date 11/11/2021
CAUTION Harmful if inhaled. Causes moderate eye irritation. Observe label precautions.		

TSCA list

: No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: sodium nitrite 7632-00-0

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		WARNING: This product can expose you to chemicals



WARNING: This product can expose you to chemicals including biphenyl-2-ol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL
TSCA

All components of this product are on the Canadian DSL On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

Version 2.0 Revision Date 04/20/2018 Print Date 11/11/2021

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label I	nformation:
Hazard pictograms	
Signal word Hazard statements	 Warning: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation.
Precautionary statements	 Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122
	°F. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.0
Revision Date:	04/20/2018
Print Date:	11/11/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Version 2.0

Revision Date 04/20/2018

Print Date 11/11/2021